



**PREFORMED** LINE PRODUCTS  
The connection you can count on.



Authorized Product Distribution

## COYOTE® STP-JR (Service Termination Point)



 COMMUNICATIONS    ENERGY    SPECIAL INDUSTRIES    SOLAR

**COYOTE®**  
FIBER OPTICS



MANUFACTURED IN SOUTH AFRICA

## PLP® Fiber Optic Products

# COYOTE® STP-JR(Service Termination Point)

### Description


Network operators value the security of each splice and desire rugged closures along the entire fiber route to ensure that they can maintain the high level of service today's customers demand. Traditionally, fiber optic products offered to address the last connection point at the customer premises have been less durable and contain marginal sealing systems. Since every splice in your network is critical, why risk compromising your service levels at the final connection? With the COYOTE® STP-JR, you no longer have to.

The COYOTE® STP-JR is a small scale, cost effective closure which provides an alternative to traditional network interface devices, while offering much greater application flexibility. The robust latch system, paired with an integrated overmolded cover, allows for quick re-entry and creates a secure seal over a wide range of cable profiles.

### Features

<b>Size</b>	8" x 4.8" x 1.9" (200 x 125 x 49 mm)
<b>Application</b>	Indoor/Outdoor Premises, Pedestal, Wall/Pole Network Interface Device (NID)
<b>Degree of Protection</b>	IP-68
<b>Material Construction</b>	Rugged UV Stabilized, Flame Retardant Material (UL94-5VA Rated)

<b>Max Splice Capacity</b>	12 Single Fusion, 4 Mechanical
<b>Max Adapter Quantity</b>	2 Simplex SC, 2 Duplex LC
<b>Grommet Quantity</b>	2 (Multi-Hole Grommets Available)





COYOTE STP-JR Splice and Cross-Connect


PLP® Fiber Optic Products  
**NETWORK CONFIGURATION**

STP-JR In Pedestal

COYOTE STP-JR in a Boundary Box



Removable Splice Tray Supports up to 12 Single Fusion Splices or 4 Mechanical Splices










**COYOTE STP-JR Splice Only**



# COYOTE® STP-JR Ordering Instructions





Catalog Number Example: **STP-JR-MM-2-1-N**

**STPJR** – **XX** – **X** – **XX** – **X**

Grommet Selection Select 4		Cable Diameter Range In
A		SOLID / PLUG
B		.170 - .220 (4.3 - 5.6 MM) ROUND CABLES
C		.220 - .270 (5.6 - 6.9 MM) ROUND CABLES
D		.270 - .320 (6.9 - 8.1 MM) ROUND CABLES
J		.156 - .170 (4.0 - 4.3 MM) ROUND DROP CABLES
K		.093 - .125 (2.4 - 3.2 MM) ROUND DROP CABLES
M		3.8 MM ROUND DROP CABLES

Grommet under test to confirm IP performance.  
Contact your local PLP representative for more  
details before placing an order.

Organizer Options Select 1	
1	 Splice Only
2	 Splice and Cross-Connect

Adapter Type Select 1		
N	NONE	0
1	 SC/APC	1 or 2
2	 SC/UPC	1 or 2
3	 LC/APC	1 or 2
4	 LC/UPC	1 or 2

Accessories	
A	STP MOUNTING BRACKET
B	FIBER PICK
C	FELT AND CABLE TIES
D	MEASURE TAPE
E	SPLICE PROTECTORS 12
F	PEDESTAL BRACKET
N	NONE



**PREFORMED**  
LINE PRODUCTS

Preformed Line Products  
180 Ohrtmann Road  
Willowton, Pietermaritzburg

Mailing Address:  
P.O. Box 4015  
Willowton Pietermaritzburg, 3200

Telephone: +27 (0) 33 397 5800  
Fax: +27 (0) 33 387 7094

Web Site: [www.preformedsa.co.za](http://www.preformedsa.co.za)  
E-mail: [sales@preformedsa.co.za](mailto:sales@preformedsa.co.za)

© 2017 Preformed Line Products  
Printed in SOUTH AFRICA  
CO-CA-08-15-1  
09-17-300



**Dartcom SA**  
(Pty) Ltd

Dartcom SA (Pty) LTD  
Route 21 Corporate Park  
55 Regency Drive, Irene, 0062

Mailing Address:  
Private Bag X116  
0046

Telephone: +27 (0) 12 345 7530  
Fax: +27 (0) 12 345 7600  
Web Site: [www.dartcom.co.za](http://www.dartcom.co.za)  
E-mail: [info@dartcom.co.za](mailto:info@dartcom.co.za)